

ODIN BIG SCREEN EXPERIENCE!

Odin is the largest series in our range of products. Maximum width is 7,5m with TabTension and 7,5m without.






ODIN

If you are interested in a perfect solution for high-end installations in large, professional environments ODIN is your best choice. ODIN with aluminium housing is designed to perform what you want in high-end quality picture and easy to install. ODIN can be customized in size and colour to perfectly fit your specific need. ODIN is available in 6 meter to 7.5 meter width. You have multiple choices in screen fabrics and it can be with or without TabTension. The TabTension system used in ODIN is developed to assure you to have a perfectly flat screen.



Experience the Magic of Watching Movies on the Big Screen!




euroscreen®

ODIN

The big screen experience!

Odin is the largest series in our range of products. Maximum width is 7,5m with TabTension and 7,5m without. It is available with three different screen surfaces with the casing in white only. It is equipped with strong eyelets and chain-loops to allow for chain- or wire-attachments to lift it up. Picture-format with or without a framework in black is available in all sizes. Standard motor options are available.

SCREEN DIMENSIONS



SCREEN SURFACES

FlexWhite Pliable matt white front surface, superb colour rendition, 8K compliant. Gain 1.0.

MOTOR CONTROL

ENYROOM-ER MOTOR Built-in controls Enyroom-ER radio receiver

Accessories Radio remote controls Autolink Dry contact transmitter WiFi-box App-control IP-box

INSTALLATION/WIRED MOTOR Accessories Control box (RS232, RF, IR, 12V trigger, Dry contact)

STANDARD FORMATS ODIN

4:3 NO BLACK BORDERS

The screen format is 4:3. No black borders.

16:9

The screen has 5 cm wide black borders. The format of the viewing area is 16:9.

16:10

The screen has 5 cm wide black borders. The format of the viewing area is 16:10.

STANDARD FORMATS ODIN TT

4:3 IO BLACK BORDERS

The screen format is 4:3. No black borders.


16:9


The screen has 5 cm wide black borders. The format of the viewing area is 16:9.

16:10

The screen has 5 cm wide black borders. The format of the viewing area is 16:10.

ODIN TABTENSION





SCREEN SURFACES

FlexWhite Pliable matt white front surface, superb colour rendition, 8K compliant. Gain 1.0.



WALL BRACKETS ODIN

info@enyroom.se; www.euroscreens.se

Attention: You need to order wall brackets separately

